



XM SkyDock[™]

User Guide

Table of Contents

Introduction
Features
Compatibility6
Safety and Care information
What's in the box?
SkyDock Features and Controls 10
SkyDock Features and Connections 1
Installing the XM SkyDock App12
Installing the XM SkyDock App 13
Vehicle Installation14
Installing the Magnetic
Mount Antenna15
Inserting & Removing the Spacers18
Installing the XM SkyDock19
Inserting and removing your
iPod touch or iPhone20
Adjusting the XM SkyDock22
Connect to Your Audio System 23
Testing your Audio Connection 25
Setting up the <i>Power</i> Connect
FM Transmitter26
Activation28
Launching the XM App 29
Activating your XM SkyDock 30
Using Your XM SkyDock34
Getting Around the
XM SkyDock Screens 3 5
Home Screen Information36
Channel List Screen 38
Category List Screen39
Direct Tuning 40

Setting Your Favourite Channels Traffic & Weather Button Song Tagging Sports Alerts Displaying the Sports and	44 46 49
Stock Ticker	
Setting up Your XM SkyDock !	
The Settings Menu	
My Account	
FM Settings	
Alert Options	
Ticker Options	
Sports	
Stocks	
Traffic & Weather	
Preview Cards	
Parental Controls	
Sounds	
Disable Auto-Lock	
Application Tour	
Appendix	
Miscellaneous Alerts	
Restore Defaults	
Finding Available FM Channels 8	
Troubleshooting	
Owner's Record	
Specifications	
Patent Information	
Environmental Information	
FCC and IC Statement	
Copyrights and Trademarks	9C

Features

Congratulations on your purchase of the XM SkyDock!

The XM SkyDock™ has these exciting features to enhance your listening experience:

- Built-in XM tuner, so you can enjoy live Satellite Radio anywhere you drive controlled by your iPod touch® or iPhone™
- Uses the Free XM SkyDock App available for download from the App Store.
- Song Tagging allows you to discover new music and easily purchase from iTunes® to expand your personal music library.
- Revolutionary XM PowerConnect™ FM Transmitter works through your existing car radio.
- Integrated design allows for easy installation and moving from vehicle to vehicle
- · Works in portrait or landscape mode.
- Flexible stalk optimizes placement in your vehicle.
- Charges iPod touch or iPhone while you listen.
- Set alerts to notify you when your favourite song, artist or sports team is playing on other channels.
- Stock and Sports Ticker allows you to track your favourite stocks and teams.

To get the most from your new XM SkyDock, please read this entire user guide.



NOTE: SkyDock works on the XM Network and requires an active XM subscription.



NOTE: ALL REFERENCES TO IPHONE IN THIS MANUAL ALSO APPLY TO THE IPOD TOUCH

Compatibility

Your XM SkyDock will work with the following iPhone and iPod touch models running iPhone OS 3.0 or later:







Safety and Care Information



IMPORTANT: Always read and understand all the instructions to avoid injury to yourself and/or damage to your radio. XM claims no responsibility for damage from data loss due to breakdown, repair, or other causes.

- Do not expose to extreme temperatures (above 140°F or below -4°F, or above 60°C or below -20°C).
- Do not expose to moisture. Do not use device near or in water.
- Do not let any foreign matter spill into device.
- Do not store in dusty areas.
- Do not expose to chemicals such as benzene and thinners. Do not use liquid or aerosol cleaners. Clean with a soft damp cloth only.
- Do not expose to direct sunlight or other heat sources for a prolonged period.
- Do not try to disassemble and/or repair the device yourself.
- Do not drop the device or subject it to severe impact.
- Do not place heavy objects on the device.
- Do not subject the device to excessive pressure.




WARNING

- · Opening the case may result in electric shock.
- The uninsulated parts inside the XM SkyDock may cause electric shock or fire. For your safety, please do not open the XM SkyDock. Do not let metallic objects, such as necklaces or coins, come into contact with the XM SkyDock plug.
- To avoid electric shock, use the XM SkyDock only with a power outlet that
 matches the shape of its plug.
- Make sure that you insert the XM SkyDock all the way into the power socket.
- Do not plug several devices into the same power outlet.
- Use the XM SkyDock away from water sources to avoid fire or electric shock.
- · Do not touch the device with wet hands.

When using this product it is always important to keep your eyes on the road and hands on the wheel. Not doing so could result in personal injury, death, and/or damage to your device, accessories, and/or to your vehicle or other property.


Your XM SkyDock should be placed in your vehicle where it will not interfere with the function of safety features, e.g., deployment of airbags. Failure to correctly place this device may result in injury to you or others if the unit becomes detached during an accident and/or obstructs the deployment of an airbag.

What's in the Box?




Also Included: User Guide (this document), Quick Start Guide, XM Channel Guide

XM SkyDock Features and Controls



XM SkyDock Features and Connections



Installing the XM SkyDock App

Installing the XM SkyDock Application

To operate the XM SkyDock you will need to install the application from the App Store. There are two ways to locate and install the XM SkyDock App:

- a) You can use your iPhone to install the XM SkyDock App directly from the App Store (as long as you are in an area with Wifi or 3G coverage).
- b) From your computer, you can install the XM SkyDock App directly from the App Store in iTunes. You will then need to synchronize your iPhone with iTunes to complete the installation.

Once the XM SkyDock App has been successfully installed, the Home Screen will display the SkyDock icon on the Home screen. Tap the icon to launch the XM SkyDock App.



iPhone Home Screen with XM SkyDock App Icon







WARNING! DO NOT ATTEMPT TO INSTALL THE SKYDOCK WHILE DRIVING.

Installing the XM SkyDock in Your Vehicle Mounting the Magnetic Mount Antenna

The XM SkyDock incorporates an XM Satellite Radio Tuner. A special magnetic vehicle mount antenna is included, that when properly installed will allow you to receive the signal. Proper placement is very important. Consult a professional installer if you are uncomfortable with installing the antenna yourself.





For most vehicles the best location is on the roof above the front windshield, as close to centered between the left and right sides as the cable length will allow. For convertible vehicles that do not have room above the windshield, place the antenna on the hood of the vehicle near the back corner. Consult a professional installer if your vehicle roof or hood is non-metallic (i.e. fiberglass) or you have difficulty finding a location for your antenna.


Recommended Antenna Locations







Pickups and SUVs



Convertibles*

 If the antenna can not be placed above the windshield place on vehicle hood.



Tip: When mounting the Magnetic Mount Antenna, be sure that the area is clean and dry. Avoid locating the antenna near other antennas (i.e. GPS, Cellular or AM/FM) as well as roof rack or other items that can obstruct the view to the satellites.


Plug the antenna wire under the rubber molding around the front windshield to the nearest corner. Then route the cable out of the windshield molding and into the rubber weather stripping around the door opening. Lift the weather stripping from the opening and tuck the cable inside it, then replace the weather stripping. Run the cable inside of the weather stripping to the bottom of the door opening.


Recommended: Hide the antenna wire inside the cabin. Pull the cable out of the weather stripping at the bottom of the door opening and route it under the carpet toward the cigarette lighter power adapter socket. Coil any excess cable in a hidden location, such as under the carpet, keeping it away from any vehicle pedals or controls. Secure the excess cable with wire ties.



TIP! Always be careful to include enough slack in your routing to accommodate open doors or trunk lids. Use electrical tape to secure the cable in areas so that hinges do not pinch the cable with the door.

Plug the Magnetic Mount Antenna connector into the XM SkyDock's Antenna connector. The antenna plug and cable will fit into the recess on the top of the XM SkyDock base.






Connecting the Antenna

Inserting the Spacers

Your XM SkyDock comes with three numbered rubber spacers that assure a proper fit with different iPhone and iPod touch models, with and without aftermarket cases that surround and protect the iPhone or iPod touch.



IMPORTANT: THE XM SKYDOCK WILL ACCOMMODATE MANY, BUT NOT ALL TYPES OF AFTER-MARKET CASES. COMPATIBLE CASES MUST BE NO THICKER THAN 2MM IN ANY DIMENSION AND MUST HAVE A LARGE ENOUGH OPEN AREA AROUND THE CONNECTOR AT THE BOTTOM OF THE IPHONE OR IPOD TOUCH TO ALLOW IT TO SEAT PROPERLY IN THE XM SKYDOCK.



Spacer 2: For iPhone without case; for iPod


touch with compatible case

Spacer 3: For iPod touch without case

Install the appropriate Spacer by inserting it all the way into the recess in the XM SkyDock.

Removing the Spacers

- Use one finger to apply sliding pressure on the Spacer towards one of the Side Grip arms.
- Using another finger, pry up under the edge of the Spacer to release it.



Recess

Spacer

Finding a Location for the XM SkyDock

The XM SkyDock mounts into your vehicle's cigarette lighter or power adapter socket. If your vehicle has more than one, be sure to choose the

one that doesn't interfere with the driver's vision, access to driving controls, doesn't interfere with the deployment of airbags or other safety equipment, and makes the iPhone easily accessible for operation.



NOTE: AFTER PLUGGING THE XM SKYDOCK INTO THE CIGARETTE LIGHTER SOCKET, ALIGN THE CABLES SO THEY DO NOT INTERFERE WITH THE SAFE OPERATION OF THE VEHICLE.



Cigarette Lighter or Power Adapter

Socket


If the XM SkyDock has power from the vehicle's cigarette lighter socket, it will not turn ON until the iPhone is inserted into the SkyDock. If the iPhone is removed, the XM SkyDock will turn OFF.




NOTE: If you want to turn OFF your SkyDock while the IPhone is inserted, press and hold the Power button on the front of the SkyDock for 3-seconds. Repeat to turn back ON.

Inserting your iPhone or iPod touch

To insert the iPhone in the XM SkyDock: Insert the bottom of the iPhone straight down onto the connector, making sure that the connection is solid. Gently squeeze the side grips against the iPhone to secure it. Squeeze towards the rear of both side grips, as shown in the diagram below.



To remove the iPhone: Slide the Side Grip Release Lever DOWN to spread the grips apart. Then lift the iPhone off the connector and pull it straight up and out of the XM SkyDock.




Adjusting the Flexible Stalk

The XM SkyDock's flexible stalk gives you lots of freedom to position the iPhone so it is convenient for you to use. You can twist the stalk up to 90° in either direction (see illustration), and bend it to be clear of controls or other items.



CAUTION: DO NOT OVER-ROTATE THE STALK - DOING SO COULD CAUSE DAMAGE.



Rotating the XM SkyDock

You can rotate the XM SkyDock up to 100° in either direction so that the iPhone is landscape-oriented instead of portrait oriented. The XM SkyDock App


will automatically orient the screen image to match the XM SkyDock's orientation.



CAUTION: DO NOT OVER-ROTATE PAST THE STOPPING POINT — DOING SO COULD DAMAGE THE XM SKYDOCK.




NOTE: ENSURE THAT THE XM SKYDOCK AND IPHONE WILL NOT BLOCK AIRBAGS AS THEY DEPLOY, OR BLOCK ANY CONTROLS NEEDED FOR OPERATING THE VEHICLE.



Connect the XM SkyDock to Your Audio System

If your vehicle's audio system has an auxiliary audio input (or Aux In) it is the best quality audio connection you can use to connect your XM SkyDock to. Simply connect the included Aux In Cable between XM SkyDock's *Audio* connector directly to your vehicle's auxiliary audio input.



If your vehicle's audio system does not have an audio input, your XM SkyDock incorporates a special FM transmitter called *Power*Connect that will 'broadcast' its audio to your vehicle's FM radio through your vehicle's power system. See *Setting-Up the FM Transmitter* on page 26 for details.



NOTE: AN FM DIRECT ADAPTER (SOLD SEPARATELY) WILL PROVIDE SUPERIOR FM PERFORMANCE BETWEEN YOUR XM SKYDOCK AND YOUR VEHICLE RADIO. YOU WILL STILL LISTEN TO YOUR XM SKYDOCK THROUGH YOUR VEHICLE RADIO'S FM TUNER, BUT THE FM DIRECT ADAPTER CONNECTS THE XM SKYDOCK'S FM OUT CONNECTOR DIRECTLY TO YOUR VEHICLE'S FM RADIO, ELIMINATING THE OUTSIDE STATIC AND INTERFERENCE YOU CAN SOMETIMES EXPERIENCE WHEN USING THE POWERCONNECT FM TRANSMITTER.

FM DIRECT ADAPTERS ARE AVAILABLE AT YOUR LOCAL XM RETAILER OR AT XMRADIO.CA/ACCESSORIES. PROFESSIONAL INSTALLATION OF THE FM DIRECT ADAPTER IS STRONGLY RECOMMENDED. SEE YOUR LOCAL XM RETAILER.



NOTE: IF YOUR VEHICLE'S AUDIO SYSTEM DOES NOT HAVE AN AUX INPUT BUT HAS A CASSETTE PLAYER, YOU CAN PURCHASE A CASSETTE ADAPTER FROM YOUR LOCAL ELECTRONICS RETAILER OR FROM XM AT XMRADIO.CA/ACCESSORIES. PLUG THE ADAPTER'S CONNECTOR INTO THE XM SKYDOCK'S AUDIO CONNECTOR AND INSERT THE ADAPTER INTO YOUR VEHICLE'S CASSETTE PLAYER.



FM Direct Adapter (Sold Separately)



Cassette Adapter (Sold Separately)

Test your Audio Connection

Before you can activate your subscription, you will need to make sure your XM SkyDock audio is connected and functioning properly with your vehicles' radio.

- Make sure your iPhone is inserted into your SkyDock
- 2) Launch the XM SkyDock App
- 3) If this is the first time that you've launched the XM SkyDock App, you will see the Welcome screen press "Start XM Satellite Radio"
- 4) On Activate XM screen, press Activate later. which will take you to the XM Preview channel



Tap Start XM Satellite Radio



Tap Activate Later

Using the AUDIO connection on your XM SkyDock

If you are using your Aux In Cable connected to the *Audio* connection on the XM SkyDock and your vehicle's radio, you should now hear the audio from the XM Preview channel. You can now activate your XM SkyDock (skip to page 23)

Using the built-in PowerConnect FM Transmitter

You will need to setup your XM SkyDock FM Transmitter before you can hear the XM Preview channel. Set up instructions on the next page.




Setting-up the *Power*Connect FM Transmitter

Your XM SkyDock includes the XM *Power*Connect FM transmitter that will 'broadcast' its audio to your vehicle's FM radio if you have not used the included audio cable to

connect the XM SkyDock to your vehicle's audio system.

- On the Home Screen, tap the Settings button. The Settings screen will appear.
- Tap the FM Settings listing. The FM Settings screen will appear. Tap the On/Off button to turn the FM transmitter OFF.
- 3. Tune through your vehicle radio's FM channels to find an FM channel (between 88.1MHz and 107.9MHz) that is not broadcasting in your area. (If you use an FM channel that is being used by a local broadcaster, it will interfere with your XM SkyDock's performance.). Review the Find Available FM Channels in Your Area section on page 80 if you need more information.
- Once you have located an FM channel that is not broadcasting in your area, save it as a preset on your vehicle radio. This will become your XM SkyDock preset.
- Tap the On/Off button on the XM SkyDock's FM Settings screen again to turn the FM transmitter ON.



Settings Screen



FM Settings Screen

The first preset (factory-set to 88.1MHz) will be highlighted. This may not be the best frequency for your area.

- Press-and-hold the 88.1 preset button for 2 seconds. The FM Settings screen will change to the Edit Mode.
- 7. Tap the *Edit* button beneath the 88.1 preset. The *Set FM Preset* screen appears.
- 8. Tap the arrow buttons to select the FM frequency that matches the channel that you preset on your vehicle radio to in Step 3.
- Tap the Back button to return to the FM Settings screen with the new FM preset frequency stored. To exit, tap the Home button.

To listen to your XM SkyDock, turn your vehicle's FM radio ON and press the SkyDock preset you set in *Step 4*.



NOTE: FOR COMPLETE DETAILS ABOUT SETTING THE FM TRANSMITTER, SEE FM SETTINGS, STARTING ON PAGE 55.



FM Settings Screen Edit Mode



Set FM Preset Screen



New FM Preset Stored

Launching the XM SkyDock App for the First Time

 Be sure that your XM SkyDock is correctly connected and installed, that the Magnet Mount Antenna is oriented to receive the XM signal, and that your iPhone is properly inserted in the XM SkyDock.



NOTE: THE XM SKYDOCK AUTOMATICALLY TURNS ON WHENEVER THE IPHONE IS INSERTED, AND AUTOMATICALLY TURNS OFF WHENEVER THE IPHONE IS REMOVED.


- Launch the XM SkyDock App. The iPhone will display the Welcome screen.
- Select Start Satellite Radio. The iPhone will display the Continue/ Activate Later screen.

NOTE: SELECTING LEARN MORE ABOUT THE XM SKYDOCK WILL LAUNCH THE SAFARI BROWSER AND TAKE YOU TO THE XM SKYDOCK INFORMATION PAGE. WIFI OR 3G COVERAGE REQUIRED.

- 4. Select Continue. The iPhone will begin the activation process.
- Have your credit card handy and proceed to Activating Your XM SkyDock on the next page



Welcome Screen



Continue/Activate Later Screen

Activating Your XM Subscription



Note: The activation procedure screens are only displayed in portrait orientation.

- If you're activating directly after launching the XM SkyDock App for the first time, your iPhone should be displaying either the Acquiring Signal screen or the Signal Found screen.
 - If the Acquiring Signal screen remains displayed, make sure that the Magnetic Mount Antenna is properly connected to the XM SkyDock, and that it is properly mounted and has a clear view of the sky. See pages 15-17.







Signal Found Screen

 Once the Signal Found screen is displayed, tap Continue. The To Complete Activation screen will be displayed.



NOTE: THE XM SKYDOCK APP WILL REMAIN ACTIVE ON YOUR Phone UNTIL YOU PRESS THE iPhone'S HOME BUTTON.

- 3. Call 1-877-GET-XMSR (1-877-438-9677) or go to xmradio.ca from your computer and click on the Activate Radio link at the top right of the page to set up your subscription. (When you're typing-in your Radio ID, note that XM Radio IDs do not use the letters I, O, S, or F.)
- 4. During the activation process the iPhone will display the Activating Radio screen.
- Once the activation process is completed, tap the Close button. The iPhone will display a screen asking if you would like to take a tour that will show you all of the key operational features of the XM SkyDock application.
 - To take the tour, tap Take the Tour. See Application Tour on page 71 for details about the application tour.
 - To skip the tour, tap No Thanks.



To Complete Activation Screen



Activating Radio Screen



Take The Tour Screen

- 6. If you tap the No Thanks button (or when you're finished with the Application Tour), the iPhone will automatically display the Home screen (tuned to XM Preview channel #1). You can now tune to any XM channel and enjoy XM Satellite Radio on your iPhone.
- NOTE: WHEN YOUR SERVICE IS ACTIVATED YOUR XM SKYDOCK WILL RECEIVE ALL CHANNELS IN YOUR SUBSCRIPTION PACKAGE. THIS USUALLY TAKES 10 TO 15 MINUTES, BUT MAY TAKE UP TO AN HOUR. YOUR XM SKYDOCK MUST REMAIN ON UNTIL ACTIVATED.
- Tip: You XM SkyDock Radio ID can also be found on the My Account screen (in Settings), Channel O, The Radio ID sticker on the back of the XM SkyDock and the bottom of your packaging.



Home Screen (on XM Preview Channel)

Using Your XM SkyDock

Using Your XM SkyDock

Getting Around the XM SkyDock Screens

You will be using the following basic actions to navigate all of the XM SkyDock App screens:

Tap: A touch of your fingertip on a button or item to select it.

Press-and-Hold: On some buttons, holding your fingertip on the button for two seconds or longer will enter a different screen mode.

Swipe up and down: Sliding your finger up or down on the screen, to scroll-through a list or column.

Swipe side-to-side: Sliding your finger across the screen, to change to different screens.



NOTE: THE SCREENS SHOWN IN THIS MANUAL MAY DIFFER SLIGHTLY FROM THE ACTUAL SCREENS DISPLAYED BY THE XM SKYDOCK APP.



NOTE: THIS GUIDE USES THE LANDSCAPE VIEW SCREENS. UNLESS OTHERWISE NOTED, THE SCREENS WILL ALSO BE DISPLAYED IN PORTRAIT VIEW.



Swiping Up/Down to Scroll-Through a List




Swiping Sideways to Change Preview Cards

Using Your XM SkyDock

Home Screen Information

When using the XM SkyDock App the screen will display items such as the currentlytuned channel, the song or show being played, the artist's name, and other information. This screen is referred to as the *Home Screen* in this manual.



Whenever you launch the XM SkyDock App, the channel that was previously selected will automatically begin playing, and the currently-playing artist name and song or program title will be displayed.

Current Channel Number: Shows the number of the currently-playing XM channel.

Direct Tuning Button: Tap to enter channel numbers for Direct Tuning. For details see page 40.

Current Channel Icon: Shows the currently-playing XM channel.

Current Category Channel List Button: Tap to display the Channel List screen for the current category. Also lets you change channels or categories. For details see page 38.

Traffic and Weather Button: Tap to tune to your pre-selected traffic and weather channel; tap again to return to your original channel. Press-and-hold to set or change your traffic and weather channel. For details about setting the traffic & weather channel see page 44.

Tag This! Button: Tap to tag the current song and add it to your tagged song list. For details on Song Tagging see page 46.


Show Favourites Button: Tap to display the preset buttons for up to 12 of your Favourite channels. For details about setting your Favourites see page 41.

Home Button: Returns to the Home Screen.

Categories Button: Tap to display the Category List screen. See page 39 for details.

Tagged Button: Tap to display your tagged song list. You can then set options for your tagged songs to notify you if the song or artist is playing on other channels. You even have the ability to search iTunes for tagged songs and purchase them. For details see page 47.

Settings Button: Tap to open the Settings menu. For details see page 53.



Tapping the Current Category Channel List Button on the Home Screen (see page 32) displays the channel list screen for the current category.

To select a channel: Tap the channel you want to listen to.

To see more channels: Swipe your finger up or down on the channel list to scroll through the list of available channels.

To change to a new category: Swipe your finger left or right across the channel list. The screen will change to a channel list in the next or previous category. You can also tap the left and right arrows to change to the next or previous category, or you can tap the XM *Categories* button (see page 39).

Category List Screen

Tapping the *Categories* button on the Home Screen (see page 36) will display the *Categories* screen, containing a list of all categories.

To scroll through the list of categories: Swipe your finger up or down on the screen.

To see a category's channel list: Tap the category's arrow button. The screen will display a channel list in the new category. Tap a channel to listen to it.

To scroll-through the list of channels: Swipe your finger up or down on the channel list. Tap the channel you want to listen to.

To change to a different category: Swipe your finger across the channel list or tap the left or right arrows. The next category's channel list will appear.



Categories Screen, with Arrow Button Highlighted



Category Channel List Screen, with Left and Right Arrows Highlighted

Direct Tuning

- 1 On the Home Screen, tap the channel number arrow button (A, below). The Direct Tuning keypad is displayed (B, below).
- 2 Use the keypad to enter a channel number (C, below).
- 3 When you finish entering the number you can tap the *OK* button or wait for SkyDock to automatically tune to the channel (*D*, below).

В



Tap Channel Number Arrow



Enter New Channel Number



Keypad is Displayed



New Channel is Tuned

C

Setting your Favourite Channels

You can save up to 12 of your favourite channels to Favourites buttons so you can quickly access them.

- Tune to a channel you'd like to save as a Favourite.
- Tap the Show Favourites button on the Home Screen (see page 36). The Favourites panel will appear. (When the Favourites panel appears for the very first time there will be no Favourites saved.)
- 3. Tap the "+" to add the current channel to the list. The channel name and number will appear in the button and the next empty button will be indicated by the "+".
- 4. You can repeat Steps 1 2 to save up to 12 Favourite channels.

The Favourites panel will stay open until you tap the *Hide Favourites* button.



Favourites Panel (none saved)



Favourites Panel (current channel saved)



Note: While the panel is open you can tune to a new category or channel by tapping the XM Categories button (see page 39) or swiping on the artist/song title.

To Listen to a Favourite:

- Tap the Show Favourites button on the Home Screen to display the Favourites panel.
- Tap the Favourite button where you assigned the desired channel. The selected Favourite will be highlighted.

To Edit Your Favourites: Press-and-hold on any one of the stored favourite buttons to enter the favourites edit mode:



WARNING! DO NOT EDIT YOUR FAVOU-RITE CHANNELS WHILE DRIVING.

- You can change the Favourites order by dragging them from one location to another in the list.
- You can delete a Favourite by tapping its "X".
 A pop-up will appear, asking you to confirm the deletion. You can now save a new channel in the empty Favourite.



Tap a Favourite Button to Listen



Favourites Panel Edit Mode



Note: You cannot directly replace a favourite - you must delete it and create a new one.

Tap the Done button to return to the Favourites panel.

To hide the Favourites panel, tap the *Hide Favourites* button. The Home Screen will return.

Browsing Channels or Favourites*

You can preview what is playing on other channels while continuing to listen to your current channel.

Swiping your finger across the Home Screen will display a Preview Card showing the next channel up or down. Continue to swipe left or right to scroll-through all the XM channels.

Tapping a Preview Card will then tune to that channel. If you take no action within 10 seconds or tap the screen outside of a Preview Card it will disappear and the Home Screen will return without changing the channel.



Note: This method also works when the Favourites Panel is displayed.

* The Settings menu allows you to set the Preview Cards to show either All Channels (factory default) or your Favourite channels. For details see page 65.




Swipe Finger Left or Right



Preview Card with Favourite Channel

Traffic & Weather Button

- Tapping the Traffic & Weather button jumps to your pre-selected traffic and weather channel.
- While tuned to the traffic and weather channel the button icon changes to a back arrow. Tapping the back arrow button returns to your originally-tuned channel.
- Pressing-and-holding the Traffic & Weather button will display the *Traffic & Weather* screen This screen lets you set your traffic & weather channel.



Traffic & Weather Button



Traffic & Weather Channel, Showing Back Arrow Icon

Traffic & Weather Screen: Swipe up and down to scroll-through the list to find the city you want, then tap it to select it. The selected city is indicated by a check-mark.



Tip: Local traffic and weather are only provided for the 20 most congested cities. If your desired city is not listed, use the Emergency Alert 24/7 channel for national information.



Note: You can also enter the Traffic & Weather screen from the Setup menu. See page 64 for details.



Traffic & Weather Screen

Song Tagging

You tag any artist/song combination by simply pressing the *Tag This!* button. Once a song is tagged, you can set your XM SkyDock to alert you when either the artist or song is playing on any channel at any time. You can even choose to purchase the song from iTunes. Your XM SkyDock can track up to 50 of your favourite songs or artists.

- When you hear an song or artist you want to tag, tap the Tag This! button. A Song Tagged pop-up will appear.
- To set options for your tagged songs, tap the Tagged button. The Tagged Songs list will appear (see page 43).
 Tap on the artist/song combination you would like to set options for. The Song Options screen will appear (see page 43).



WARNING! DO NOT MANAGE OR EDIT YOUR TAGGED SONG LIST WHILE DRIVING.



Song Tagging Buttons



Song Tagged Pop-Up

- 3. Tagged song/artist options are:
 - Alert when this song plays
 - · Alert when this artist plays
 - Buy the song from iTunes (tapping this exits the XM SkyDock App and launches the iTunes App on your iPhone). Requires a WiFi or 3G connection.




Note: ITunes will search for the best match to your selected song. It is possible that you will get multiple matches or no matches at all

4. Tap either alert to select it. (A selected alert is indicated by a check-mark.)



NOTE: YOU CAN ONLY SELECT TO ALERT EITHER THE ARTIST OR SONG, NOT BOTH.

5. Tap the My Music listing to display a virtual category that contains all of your tagged songs that are currently playing on any channels. The number on the listing indicates how many tagged artists or songs are currently playing. Musical note icons will appear next to any songs or artists for which you have set alerts.



Tagged Song List



Songs Options Screen

To buy a tagged song from iTunes touch the *iTunes* button next to the song's entry.



WARNING! DO NOT TRY AND PUR-CHASE SONGS WHILE DRIVING.

To delete a song from the list, swipe your finger across the song listing (left-to-right or right-to-left). The *iTunes* button will change to a *Delete* button. Tap the *Delete* button to delete the song.

Getting a Song or Artist Alert

When a tagged song or artist plays on any channel you'll see a Tagged Song/Artist Alert pop-up. To switch to that channel, tap *Listen*. To dismiss the pop-up and remain on the current channel, tap *Ignore*.



Tagged Song Delete Button



Tagged Song/Artist Alert Pop-Up

Sports Alerts

You can set your XM SkyDock to alert you when your favourite sports teams are playing.

The Sports listing of the Settings menu (page 60) lets you set alerts for your favourite sports teams and leagues. When an event involving one of your selected teams is playing on any channel, you'll see a pop-up. To switch to that channel, tap Listen. To dismiss the pop-up and remain on the current channel, tap Ignore.

For complete information about setting Sports Alerts, see *Sports*, on page 60.



Sports Alert Pop-Up

If you tune to a channel that is showing a play-by-play event that is either scheduled in the future, in progress or has ended, you can press the Tag This button to add both teams to your Sport Alerts and you will be notified when either team starts a game. You can edit your sporting team list in the The *Sports* listing of the *Settings* menu (page 60).

Displaying the Sports and Stock Ticker

Your XM SkyDock can display a ticker that shows you the scores of your favourite sports teams and the prices and movement of your designated stocks.

After activating the tickers in the *Ticker Options* listing of the *Settings* menu (see page 62), the ticker will appear on the Home Screen.

Each sports game or stock will show for 5 seconds, followed by the next sports score or stock. If you have set the ticker to show both scores and stocks, all stocks will be displayed in a group followed by all scores.



Sports Ticker



Stock Ticker

The Settings Menu



WARNING! DO NOT MAKE SETTING ADJUSTMENTS WHILE DRIVING.

Your XM SkyDock App provides lots of options so you can set it up to operate just the way you want it to. To change the settings, tap the Settings button. The Settings Menu will be displayed. The Settings options are:

- My Account
- FM Settings
- Alert Options
- Ticker Options
- Sports
- Stocks
- Traffic & Weather
- Preview Cards
- Parental Controls
- Sounds
- Disable Auto-Lock
- Application Tour

Swipe your finger up or down on the screen to scroll through the list and tap the item you want to display.



Settings Button



Settings Menu

My Account

The My Account screen provides information about your XM account:

Radio ID: The unique ID number assigned to your XM SkyDock.



NOTE: XM RADIO IDS DO NOT USE THE LETTERS I, O, S, OR F.

Account Status: The status of your XM Radio account.

App. Version: The version of the XM SkyDock application software currently installed on your iPhone.

Dock Version: The version of the SkyDock firmware currently installed on your XM SkyDock.



My Account Screen

Satellite Signal: The current strength of the signal reaching your XM SkyDock from the XM satellites.

Terrestrial Signal: The current strength of the signal reaching your XM SkyDock from XM's terrestrial repeaters. The signal strength indicators can help you orient your XM SkyDock antenna for best reception.



TIP: If you ever need to contact XM customer service to activate your radio, alter your subscription package or for technical assistance, the *My Account* screen will have the key information required to get started.

FM Settings

The FM Settings screen lets you turn the XM SkyDock's PowerConnect FM transmitter ON and OFF, and set the preset FM channels that the FM transmitter 'broadcasts' on.



WARNING! DO NOT EDIT YOUR FM PRESETS WHILE DRIVING.

To Turn the FM transmitter ON and OFF: Tap the *ON/OFF* button. The active preset will be highlighted.

To Change Active Presets: Tap the desired preset button.

To Set a New FM Channel Preset: Tap the next available empty preset (indicated by a "+"). The Set FM Preset screen appears. Drag the channel tuning bar with your finger or tap the arrow buttons to tune to the new frequency. (This is performed live, so you will hear audio feedback that can help you find a frequency with clean performance.)



FM Settings Screen



Set FM Preset Screen

When the desired frequency appears on the screen tap the Back button.

The *FM Settings* screen will return with the new preset selected.

You can set up to four different FM presets. If you regularly travel between cities with different active FM channels this makes it easy to switch to the best FM channel for each city.

To Edit FM Presets: Press-and-hold any one of the FM preset buttons for 3 seconds. The screen will enter the *FM Settings* edit mode:

- You can edit a preset by tapping its Edit button. The Set FM Presets screen will appear and you can change its frequency (see page 55).
- You can delete a preset by tapping its "X". A pop-up will appear, asking you to confirm the deletion. If desired you can then set the preset to a different frequency.

Tap the *Done* button to return to the *FM Settings* screen.



FM Settings Screen with New Preset



FM Settings Screen Edit Mode

To Use XM SkyDock's *Power*Connect FM Transmitter:

To switch between your FM Presets, press the XM SkyDock's FM button. Each press of the button will switch to the next FM Preset


 An alert will be displayed showing the active FM Preset frequency and reminding you to tune your vehicle's radio to that frequency.

The first press of the FM button will show the last-used FM Preset.

Pressing-and-holding the XM SkyDock's FM button for 3 seconds when the FM transmitter is ON will turn the FM transmitter OFF. Pressing-and-holding the button for 3 seconds when the FM transmitter is off will turn it ON. The light in the button will turn on and off to indicate the FM transmitter's ON/OFF status.



NOTE: IF USING THE OPTIONAL FM DIRECT ADAPTER (FMDA), TURN THE XM SKY-DOCK'S FM TRANSMITTER OFF WHENEVER YOU WANT TO LISTEN TO YOUR VEHICLE'S AM/FM RADIO.



XM SkyDock FM Button



FM Transmitter ON Alert

If the FM transmitter is turned OFF when you press and release the FM button you an alert will be displayed asking if you want to turn it ON. Press Enable FM if you would like to turn back ON the FM Transmitter.

If you Enable the FM Transmitter, the FM Transmitter is ON alert will be displayed. Tune your vehicle's FM radio to the channel displayed.



FM Transmitter is OFF Alert



FM Transmitter ON Alert

Alert Options

The Alert Options screen lets you activate or de-activate Sports Alerts and Song Alerts.

Tap the *ON/OFF* buttons to turn the alerts ON and OFF. (The default setting is ON.)

Ticker Options

The *Ticker Options* screen lets you turn the stock and sports tickers ON and OFF.

Tap the *ON/OFF* buttons to turn the tickers ON and OFF. (The default setting is OFF.)



Alert Options Screen



Ticker Options Screen

Sports

Tapping the *Sports* listing displays the *Selections* screen, which lets you manage your favourite sports teams and the XM SkyDock's sports alerts and sports ticker.

- 1 From the Sports screen, tap the league you want to manage. The league screen will appear. Available sports leagues are: , MLB, NFL, NBA, NHL, NCAA Football, NCAA Men's Basketball.
- 2 Each league screen lets you manage the following options for that league:

[League] Ticker: Tap *ON/OFF* to activate/de-activate the sports ticker for the entire league.

[League] Alerts: Tap *ON/OFF* to activate/de-activate game alerts for the entire league.



Sports Screen



League Screen (NFL shown)

Set Team Alerts & Tickers: You can also enable alerts and tickers for each individual team in the league, and/or for all teams at once.



NOTE: DISABLING THE ALERT OR TICKER FOR ALL TEAMS WILL NOT DISABLE ANY ALERTS OR TICKERS THAT HAVE BEEN SET FOR INDIVIDUAL TEAMS.

Clear Team Alerts & Tickers: Tap to clear all individual team alerts and tickers settings. A pop-up will be displayed asking for confirmation before clearing the settings.



WARNING! DO NOT ADD OR EDIT YOUR SPORTS ALERTS WHILE DRIVING.



Team Alerts and Tickers (MLB shown)



Clear All Tickers & Alerts Pop-Up

Stocks

The Stocks screen lets you track the price and daily movement for up to 64 of your favourite stock symbols



WARNING! DO NOT ADD OR EDIT STOCKS WHILE DRIVING.

To add a stock ID to the list:

- 1 Tap the + button. The Add a Stock screen will appear.
- 2 Use the keypad to type the stock's symbol, then tap the *Go* button.
- 3 The new stock symbol will appear on the *Stocks* screen.



Stocks Screen, Showing + Button



Add a Stock Screen, Showing Go Button



Stocks Screen, with Added Stock




Note: After your XM subscription is initially activated it will take approximately 4 ~ 5 minutes while listening to XM to download the complete stock database from the XM Satellite system. During this time, you will not be able to add any stocks to the list.

To delete a stock symbol from the list:

- 1 Swipe your finger across the stock's listing from left-to-right or right-to-left. A *Delete* button will appear in place of the stock's value listing.
- 2 Tap the Delete button to delete the stock from the list.



NOTE: INFORMATION ABOUT MOST STOCKS AND INDICES LISTED ON THE NYSE, AMEX, OR NASDAQ IS AVAIL-ABLE. MARKET INFORMATION IS DELAYED APPROXIMATELY 25 MINUTES. STOCK DATA IS PROVIDED BY COMSTOCK, INC.



Stock Listing Delete Button



Stocks Screen, with Stock Deleted

Traffic & Weather

The *Traffic & Weather* screen lets you select the city whose traffic and weather channel will automatically be tuned-to whenever you tap the Traffic & Weather button on the Home Screen (see page 44).

Traffic & Weather Screen: Swipe up and down to scroll-through the list to find the city you want, then tap it to select it. The selected city is indicated by a check-mark.



Traffic & Weather Screen



Tip: Local traffic and weather are only provided for the 20 most congested cities. If your desired city is not listed, use the Emergency Alert 24/7 channel for national information.

Preview Cards

The Preview Cards screen lets you set the Preview Cards to show either the next higher or lower channel, or your next higher or lower Favourite Channel. (Tap one or the other to select it.) Your selection is indicated by an arrow. The Default is set to Show Channels.

See page 43 for more details about Preview Cards.



Preview Cards Screen

Parental Controls


The Parental Controls screen lets you lock channels you do not want others (such as children) to access without your permission.

Attempting to tune to a locked channel by tapping its Favourite Preset, using Direct Tuning, choosing a channel from the Category list or Preview Cards will display an *Enter Parental Code* keypad screen. The locked channel can only be tuned-to if the correct 4-digit code is entered.

Parental Controls: Tap the ON/OFF button to turn parental controls ON or OFF. When activating parental controls for the first time the Enter Parental Code screen will appear. Use the 10-key pad to create your personal 4-digit code. (The numbers you enter will appear at the top of the screen as you enter them.) When you're satisfied with your code, tap the OK button.



IMPORTANT: Be sure to remember your 4-digit code number! If your forget it, you can reset the code in the "Restore Defaults" menu in the iPhone global Settings menu (see page 78 for more information).



Parental Controls Screen




Enter Parental Code Screen



Code Numbers Entered

Locked Channels: Tapping *Locked Channels* displays a list of all categories. Each category will have an empty box to its left.

- To lock an entire category: Tap the empty box next to its name. A lock icon will appear in the box, indicating that all channels in the category have been blocked.
- Note: A virtual "Explicit Channels" category
 APPEARS AT THE TOP OF THE CATEGORY LIST.
 This makes it easy to lock all channels
 CONTAINING EXPLICIT CONTENT WITHOUT HAVING TO
 - FIND AND LOCK EACH ONE INDIVIDUALLY.



- · To lock individual channels:
 - 1 Tap the category name. A list of all channels in the category will appear.



Locked Channels Screen



Category Channel List Screen



Note: Channels containing explicit content will have an XL preceding their name.

- 2 Tap the empty box next to the channel name you want to lock. A lock icon will appear in box, indicating that the channel has been locked.
- To unlock a channel or category: Tap on the box next to the channel or category

name that contains the lock icon. The lock icon will disappear, and the channel can be tuned without entering the 4-digit code number.

To listen to a locked channel:
 Tap on the channel listing that appears when attempting to tune to a locked channel. The Enter Parental Code keypad will appear. Entering the correct 4-digit code will tune to the channel.

Change Code: Tapping Change Code on the Parental Controls screen (see page 62) displays the Enter Parental Code keypad. Entering your current 4-digit code will then take you through the procedure to set a new 4-digit code number.



Enter Parental Code Screen



Entering Code Numbers

Sounds

Audio Output Level: Controls the output level of the XM SkyDock's Audio Output connection, its FM Out connection and its PowerConnect FM transmitter.

To adjust the sound level, touch and drag the slider marker left or right to increase or decrease the audio output level. Moving the slider marker towards the right *increases* the volume; moving the slider marker towards the left *decreases* the volume. The will be a slight delay between making adjustments and the actual level increasing or decreasing.



Sound Levels Screen




NOTE: IF YOU'RE USING AN OPTIONAL CASSETTE ADAPTER CONNECTED TO THE XM SKYDOCK'S AUDIO CONNECTOR (SEE PAGES 16 - 17), FOR BEST PERFORMANCE SET THE AUDIO OUTPUT LEVEL SLIDER TO THE MINIMUM SETTING (ALL THE WAY TO THE LEFT).

Disable Auto-Lock

Let screen go to sleep: The iPhone screen will be allowed to go to sleep after the XM SkyDock App is not interacted with for a period of time (determined by your iPhone Auto-Lock settings). XM radio sound will continue to play even though the iPhone screen is asleep.

To wake up the screen, press the iPhone Home button and slide the screen lock to the unlocked position.



Disable Auto-Lock Screen

The XM SkyDock App can now be interacted with.

Keep screen active: The iPhone screen will stay awake until you press the iPhone Sleep/Wake button. This is the XM SkyDock App default setting.



NOTE: IF YOUR IPHONE OR IPOD TOUCH GLOBAL AUTO-LOCK AND PASSCODE LOCK SETTINGS ARE SET TO ON, IT IS POSSIBLE THAT THE SCREEN WILL LOCK IF YOU RECEIVE AN ALERT FROM A CALENDAR EVENT OR SMS AND YOU DO NOT CLOSE THE ALERT

Application Tour

The Application Tour lets you take a guided tour of the XM SkyDock App main features to help you get started using the system right away.

Tapping the *Application Tour* listing displays the tour's table of contents. (Note that the Application Tour screens only appear in portrait orientation.)

Tapping one of the items on the table of contents list enters a guided tour that shows and explains that item's various features and functions:

Getting Around: Explains the XM SkyDock App Home Screen Menu items (*Home, Categories, Tagged* and *Settings* buttons).

Choosing a Channel: Explains how to select channels, and the various channel and category screens.

Features & Favourites: Explains the *Tag This*, Traffic & Weather and *Favourites* buttons.



Application Tour Table of Contents Screen

FM Settings: Explains how to set-up and operate XM SkyDock's built-in FM transmitter.

Tapping the table of contents screen's *Done* button exits the tour and returns to the *Settings* menu (see page 49).

While the tour is active the XM SkyDock will be in "slideshow" mode. None of the XM SkyDock App buttons will function except for the Go Back and Continue buttons that appear on the various tour pop-ups.

Tapping any tour pop-up's Go Back button will return to the previous screen on the tour. Tapping a Continue button will continue to the next screen on the tour.



Application Tour Screen
Showing Go Back and
Continue Buttons



Application Tour Screen Showing Go Back and Done Buttons

The *Continue* button on the last pop-up in each tour will be replaced by a *Done* button. Tapping that *Done* button will return to the Application Tour Table Of Contents screen.

Tapping the *Done* button on the Table Of Contents screen will exit the tour and return to the *Settings* menu.

Miscellaneous Alerts

XM SkyDock Not Detected

If you remove the iPhone from the SkyDock while you're listening to the XM SkyDock App it will display the XM SkyDock Not Detected pop-up. The Home Screen will then return, but will display "XM SkyDock Not Detected" in place of artist and song title information.

To continue listening: Return the iPhone to the SkyDock.

To discontinue listening: Press the iPhone Home button.



NOTE: THE XM SKYDOCK WILL POWER-DOWN AND DISCONTINUE AUDIO PLAYBACK IF THE IPHONE IS REMOVED FROM THE SKYDOCK.



Note: You can manage your tagged songs and adjust your settings while the IPhone is removed from the SkyDock.



XM SkyDock Not Detected Pop-Up



Home Screen with XM SkyDock
Not Detected Message

Acquiring Signal

If you are not receiving good signal you will see the Acquiring Signal... message on the Home screen. Make sure the antenna is properly mounted outside of the vehicle.

Move the antenna or the vehicle away from any obstructions.

Check Antenna

If your Magnetic Mount Antenna is disconnected or damaged, you will see the Check Antenna message on the Home Screen.

Make sure the antenna is firmly and securely plugged into the XM SkyDock antenna connector. Make sure the antenna cable is not tightly bent, crimped or broken - if so you will need to replace the antenna. See pages 15~17 for details on proper antenna installation.

Loading

Your XM SkyDock is acquiring audio or program information. This Message usually goes away in a few seconds.



Acquiring Signal Screen



Check Antenna Screen



Loading Screen

Updating the XM SkyDock Firmware

The XM SkyDock application monitors the firmware version of the SkyDock hardware. If an update is required, the firmware will be automatically updated. During the update process, an *Updating Your XM SkyDock...* message and an update progress bar will be displayed.

When the update is completed, the XM SkyDock will automatically power down, then back on and you will see the "XM SkyDock Disconnected message briefly then the the XM SkyDock application will continue to start up and operate as normal.



IMPORTANT: Do not remove your iPhone from the XM SkyDock or disconnect the power during the updating process.



Updating your XM SkyDock Screen

Restore Defaults

If you wish you can return your XM SkyDock application to its factory-set defaults.

To restore the factory-set defaults:

- In the iPhone Home screen, tap the Settings (global settings) icon. Scrolldown the list of options until you find the XM SkyDock listing and tap it to enter.
- 2. Tap the Restore Defaults ON/OFF button to set the option to ON.
- 3. Press the iPhone Home button to exit the Settings application.
- 4. Re-launch the XM SkyDock application



iPhone Home Screen showing *Settings* icon



iPhone Settings Menu XM SkyDock Restore Defaults Listing

You will see an XM SkyDock message asking if you would like to restore your factory defaults. Tap Yes to restore, tap No to cancel.

Tapping Yes makes the following changes in the XM SkyDock application:

- · All Favourite channels will be cleared
- The selected traffic & weather channel will be replaced with Emergency Alert 24/7
- · All tagged songs and artists will be cleared
- FM Transmitter will be set 88.1MHz and turned ON (all other presets will be removed)
- · All Alert Options will be set to ON
- · All saved sport teams will be cleared
- · All stock symbols will be cleared
- · All Ticker Options will be set to OFF
- All sports and artist/song alerts will be set to OFF
- All Parental Controls set to OFF and code will be cleared.
- · Preview Cards will be set to Show Favourites
- The Audio Output level will be set to 1V RMS (Approximately 3/4 of MAX)
- Disable Auto-Lock will be set to Keep Screen Active



Restore Defaults
Confirmation
Screen

Find Available FM Channels in Your Area

Before attempting any of the procedures below, you should park your vehicle in a safe location. Do not attempt to set up your FM channels or any XM SkyDock App function while driving.

PowerConnect allows you to listen to XM audio through your vehicle's FM radio. You will first need to find an available FM channel, which is a channel that is not being used by an FM radio station in your area. When you tune your FM radio to an available channel, you should only hear static or silence – not talk or music.

Once you have found an available channel, you need to tune the XM SkyDock's built-in transmitter to the same channel to receive XM sound through your vehicle's radio.

We recommend the following method to find an available FM channel:

Manually tune through your local FM channels

Tune your XM SkyDock to a favourite XM channel (or to channel 1, if it's not yet activated) and turn on your vehicle's FM radio. Start at 88.1 and use the 'Manual' tune function on your vehicle's FM radio to tune through each FM channel one-by-one (88.1 followed by 88.3 etc.) to locate channels that aren't being used by a local FM radio station. Write down each FM channel that has only static or silence on it, until you reach 107.9.

Once you have created your list of available FM channels, you will need to find the one that provides the best match for XM SkyDock. Tune your FM radio to the first FM channel on your list, then tune the XM SkyDock's FM transmitter to the same channel. (Follow the instructions on Page55 of the User Guide.) You should hear the XM channel through your vehicle's radio. If you are satisfied with the sound quality,

you're done! If this FM channel doesn't work well for you, work down the list until you find an FM channel that allows you to hear XM clearly.

Helpful Hints:

You may find a channel with no audio or noise that does not work with your XM SkyDock. It is possible that some type of inaudible interference is present that prevents reception of the XM SkyDock broadcast. Your only option is to use another channel or installation method.

If you regularly drive from one location to another, such as your daily commute, you may need to use different FM channels along your route for best performance. If this is the case, we recommend saving the best FM channels as presets on your FM radio and your XM SkyDock. Then you simply select and match the best channel for the area you are in.

Troubleshooting

If you see this on the Screen:	Try This
Acquiring Signal	 Make sure that the vehicle is outdoors with a clear view of the sky. Make sure the Magnetic Mount Antenna is mounted outside of the vehicle. Move your Magnetic Mount Antenna away from any obstructed area. For example, if you are parked in an underground garage, you should receive a signal after leaving the garage.
Check Antenna	Make sure that the antenna cable is firmly and securely plugged into the ANTENNA connection on the XM SkyDock. Quit the XM SkyDock App and relaunch. The message may reset. If the message persists, most likely the antenna cable has been damaged. Replace the Magnetic Mount Antenna.
Loading	Your XM SkyDock is acquiring audio or pro- gram information. This Message usually goes away in a few seconds.
Channel Off Air	•The Channel you've selected is not currently broadcasting. Tune to another channel.

If you see this on the screen	Try This
XM SkyDock Not Detected	Re-insert your iPod touch or iPhone back into the XM SkyDock. The SkyDock does not have power. Check your cigarette lighter socket connection. The SkyDock is turned OFF. Press the XM SkyDock Power button to turn on.
If this happens	Try This
You do not receive all the XM channels you subscribed to	Review and follow the activation instructions on Page 29. Go to www.xmradio.ca, enter your Radio ID and follow the instructions to refresh your activation signal. Call 1-877-GET-XMSR (1-877-438-9677) for more assistance.
No Audio- Using Aux In Cable	Make use the Aux In Cable is connected fully into your XM SkyDock Audio connection and to your vehicle's auxiliary input. (see page 23). Make sure your vehicle's stereo is set to auxiliary mode (see your vehicle owners manual for details). Check XM SkyDock Audio Output Level found in Settings/Sounds (see page 69).

Troubleshooting (continued)

If this happens	Try This
No Audio - Using <i>Power</i> Connect	 Make sure the FM Transmitter is ON (see page 55) Make sure your vehicle radio is tuned to the same channel as the FM Transmitter (see page 55) Review the Finding Available Channels in your Area section on page 80.
Audio is too low (soft)	• Adjust the Audio Output Level (see page 69)
XM Instant Traffic and Weather Channels sound different from other channels	•These channels use a different audio technology than other XM channels so they often sound different
No song title or artist name displayed	•This information may not be available or updates may be in process.
Stock and/or Sport Tickers are not displayed	• Make sure the Ticker Options are turned ON in the Settings menu (see page 59).
One or all of the favourite channels switch to Channel 1 - XM Preview	•The channel is no longer available. Delete the channel and add a new one (see page 42).

If this happens	Try This
iPod touch or iPhone has a dead battery and SkyDock does not turn ON.	• Press the Power Button on the XM SkyDock. This will turn on the XM SkyDock and start to charge the iPod touch or iPhone.
Swiping the Artist Song/Artist does not bring up the Preview Cards	 Preview Cards set to Show Favourites and Favourite list is empty - add favourites channels Change to Show Channels to see all channels (see page 65).
FM Button on the SkyDock is not backlit.	•The <i>Power</i> Connect FM Transmitter is turned OFF. If you want to turn it Back ON, press the FM Button and choose Enable FM. You can also turn it on within the FM Settings menu.
Forgot Parental Lock Code	• You can choose Restore Defaults to clear the Parental Lock (see page 78) - Caution: restoring the defaults will clear all your stored Favourites, clear your Tagged Songs, Stocks and Sports Alert and Ticker information (see page 79).

Troubleshooting (continued)

If this happens	Try This
The iPod touch or iPhone display goes dim or turns OFF	The Disable Auto Lock is set to let the screen go to sleep. if you would like to keep the screen from turning OFF, change the setting to Keep Screen Active. If you have your iPod touch or iPhone Auto-Lock and Passcode Lock settings turned ON, it is possible that if you receive an SMS or Calendar alert/reminder and do not close the alert, the global settings can cause the screen to dim, turn off and eventually lock.

Owner's Record

The model number is located below and the XM Radio ID is located on the *My Account* page of the *Settings* Menu. Record the XM Radio ID in the space provided below. Refer to these numbers whenever you call your dealer regarding this product.

Model Number: xxxxxx	
Radio ID:	
Note: VM Pario IDs no not use the Letters I O S o	

Specifications

Dimensions:

Dock Portion (arms closed): 66.3mm (W) X 102.8mm (H) X 55.5mm (D)

2.6 in (W) X 4 in (H) X 2.2 in (D)

Flexible Shaft: 10.9mm (D) X 80mm (L)

0.43 in (D) X 3.1 in (L)

Power Interface/Mount: 33mm (W) X 111.5 mm (L)

1.3 in (W) X 4.4 in (L)

Dock Rotation: 200° Max (100° in either direction)

Weight: 156g (5.5 oz)

Power Requirements: 11 ~ 16V DC
Current Consumption: 800mA (max)

Audio Output Type: Stereo (3.5mm diameter mini connector)

Line Output Level: Variable – 250mV ~ 1.8V (RMS)

FM Output

FM Modulator (Built-in): PowerConnect Type

FM Direct Output (Option): 2.5mm Mono (for use with optional FMDA25)

Aux In Cable Type: 3.5mm Stereo Audio (right-angle male/male)

Aux In Cable Length: 1.2 meter (4 feet)

Antenna Type: Mini Magnetic with right-angle SMB connector

Antenna Cable Length: 3.5 meter (11.5 feet)

DUE TO CONTINUOUS PRODUCT IMPROVEMENT, ALL FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Patent Information

It is prohibited to, and you agree that you will not, copy, decompile, disassemble, reverse engineer, hack, manipulate, or otherwise access and/or make available any technology incorporated in receivers compatible with the XM Satellite Radio system. Furthermore, the AMBE® voice compression software included in this product is protected by intellectual property rights including patent rights, copyrights, and trade secrets of Digital Voice Systems, Inc. The software is licensed solely for use within this product. The music, talk, news, entertainment, data, and other content on the Services are protected by copyright and other intellectual property laws and all ownership rights remain with the respective content and data service providers. You are prohibited from any export of the content and/or data (or derivative thereof) except in compliance with applicable export laws, rules and regulations. The user of this or any other software contained in a XM Radio is explicitly prohibited from attempting to copy, decompile, reverse engineer, hack, manipulate or disassemble the object code, or in any other way convert the object code into human-readable form.

Environmental Information

Follow local guidelines for waste disposal when discarding packaging and electronic appliances.

Your Satellite Radio tuner is packaged with cardboard, polyethylene, etc., and does not contain any unnecessary materials.

FCC and IC Statement

The user is cautioned that changes or modifications not expressly approved by SIRIUS XM Radio, Inc. can void the user's authority to operate this device.

This device has been designed to operate with the antenna provided in the original packaging. Use of antenna other than the antenna provided will result in improper operation.

This device complies with Part 15 of the FCC rules and is certified to Industry Canada's RSS-210 specifications. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference.
- This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules and Canada's RSS-210 specifications. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the installation instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna of the affected receiver.
- Increase the separation between the XM equipment and the affected receiver.
- Connect the XM equipment into an outlet on a circuit different from that to which the affected receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

WARNING! The FCC and FAA have not certified this Satellite Radio Receiver for use in any aircraft (neither portable nor permanent installation). Therefore, XM Radio cannot support this type of application or installation

Copyrights and Trademarks

©2009 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. Major League Baseball trademarks and copyrights are used with permission of Major League Baseball Properties, Inc. Visit the official website at MLB.com. Games subject to availability and change and may not include all spring training games. All rights reserved. Visit xmradio.com/xmlineup for updates. All programming/channel lineup/XM service subject to change or preemption. "Made for iPod" means that an electronic accessory has been designed to connect specifically to iPod and has been certified by the developer to meet Apple performance standards. "Works with iPhone" means that an electronic accessory has been designed to connect specifically to iPhone and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Apple, iPod touch and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. iPhone is a trademark of Apple Inc. iTunes is for legal or rightholder-authorized copying only. Don't steal music.

All other marks and logos are the property of their respective owners. All rights reserved. Hardware, subscription and activation fee required. Other fees and taxes may apply. Month-to-month subscriptions must be activated via telephone. Hardware and subscription sold separately. Subscription governed by XM Customer Agreement, which can be found at xmradio.ca. Prices and programming are subject to change.





XVSAP1V1KC

Audiovox Electronics Corporation 150 Marcus Blvd. Hauppauge, New York 11788U.S.A. 1 800 645 4994 www.audiovox.com

XM name and related logos are registered trademarks of XM Satellite Radio Inc. All other trademarks are the property of their respective owners.

© 2007 Audiovox Electronics Corporation. All rights reserved.



